familial porencephaly

Familial porencephaly is part of a group of conditions called the *COL4A1*-related disorders. The conditions in this group have a range of signs and symptoms that involve fragile blood vessels. In familial porencephaly, fluid-filled cysts develop in the brain (porencephaly) during fetal development or soon after birth. These cysts typically occur in only one side of the brain and vary in size. The cysts are thought to be the result of bleeding within the brain (hemorrhagic stroke). People with this condition also have leukoencephalopathy, which is a change in a type of brain tissue called white matter that can be seen with magnetic resonance imaging (MRI).

During infancy, people with familial porencephaly typically have paralysis affecting one side of the body (infantile hemiplegia). Affected individuals may also have recurrent seizures (epilepsy), migraine headaches, speech problems, intellectual disability, and uncontrolled muscle tensing (dystonia). Some people are severely affected, and others may have no symptoms related to the brain cysts.

Frequency

Familial porencephaly is a rare condition, although the exact prevalence is unknown. At least eight affected families have been described in the scientific literature.

Genetic Changes

Mutations in the *COL4A1* gene cause familial porencephaly. The *COL4A1* gene provides instructions for making one component of a protein called type IV collagen. Type IV collagen molecules attach to each other to form complex protein networks. These protein networks are the main components of basement membranes, which are thin sheet-like structures that separate and support cells in many tissues. Type IV collagen networks play an important role in the basement membranes in virtually all tissues throughout the body, particularly the basement membranes surrounding the body's blood vessels (vasculature).

The *COL4A1* gene mutations that cause familial porencephaly result in the production of a protein that disrupts the structure of type IV collagen. As a result, type IV collagen molecules cannot attach to each other to form the protein networks in basement membranes. Basement membranes without normal type IV collagen are unstable, leading to weakening of the tissues that they surround. In people with familial porencephaly, the vasculature in the brain weakens, which can lead to blood vessel breakage and hemorrhagic stroke. Bleeding within the brain is followed by the formation of fluid-filled cysts characteristic of this condition. It is thought that the pressure and

stress on the head during birth contributes to vessel breakage in people with this condition; however in some individuals, bleeding in the brain can occur before birth.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

Other Names for This Condition

- autosomal dominant porencephaly type 1
- infantile hemiplegia with porencephaly
- porencephaly type 1

Diagnosis & Management

These resources address the diagnosis or management of familial porencephaly:

- GeneReview: COL4A1-Related Disorders https://www.ncbi.nlm.nih.gov/books/NBK7046
- Genetic Testing Registry: Familial porencephaly https://www.ncbi.nlm.nih.gov/gtr/conditions/C1867983/

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html

Additional Information & Resources

MedlinePlus

 Health Topic: Brain Diseases https://medlineplus.gov/braindiseases.html

 Health Topic: Hemorrhagic Stroke https://medlineplus.gov/hemorrhagicstroke.html

 Health Topic: Migraine https://medlineplus.gov/migraine.html

Genetic and Rare Diseases Information Center

 Familial porencephaly https://rarediseases.info.nih.gov/diseases/2258/familial-porencephaly

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Epilepsy Information Page https://www.ninds.nih.gov/Disorders/All-Disorders/Epilepsy-Information-Page
- National Institute of Neurological Disorders and Stroke: Stroke Information Page https://www.ninds.nih.gov/Disorders/All-Disorders/Stroke-Information-Page

Educational Resources

- Cedars-Sinai Medical Center: Cerebral Hemorrhage http://www.cedars-sinai.edu/Patients/Health-Conditions/Hemorrhagic-Stroke.aspx
- Cleveland Clinic: Epilepsy http://my.clevelandclinic.org/health/articles/epilepsy-frequently-asked-questions
- Disease InfoSearch: Familial Porencephaly http://www.diseaseinfosearch.org/Familial+Porencephaly/2767
- Johns Hopkins Children's Center: Pediatric Stroke http://www.hopkinsmedicine.org/healthlibrary/conditions/adult/ nervous_system_disorders/pediatric_stroke_22,pediatricstroke/
- Johns Hopkins Medicine Department of Neurology and Neurosurgery: Intracerebral Hemorrhage http://www.hopkinsmedicine.org/neurology_neurosurgery/centers_clinics/ pediatric_neurovascular/conditions/intracerebral_hemorrhage.html
- Johns Hopkins Medicine Department of Neurology and Neurosurgery: Stroke http://www.hopkinsmedicine.org/neurology_neurosurgery/centers_clinics/ cerebrovascular/conditions/stroke.html
- MalaCards: familial porencephaly http://www.malacards.org/card/familial_porencephaly

- Orphanet: Familial porencephaly http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=99810
- University of Texas Southwestern Medical Center, Internet Stroke Center: Intracerebral Hemorrhage http://www.strokecenter.org/patients/about-stroke/intracerebral-hemorrhage/

Patient Support and Advocacy Resources

- Family Caregiver Alliance: Stroke https://www.caregiver.org/health-issues/stroke
- National Organization for Rare Disorders (NORD)
 https://rarediseases.org/rare-diseases/autosomal-dominant-porencephaly-type-i/

GeneReviews

 COL4A1-Related Disorders https://www.ncbi.nlm.nih.gov/books/NBK7046

Genetic Testing Registry

 Familial porencephaly https://www.ncbi.nlm.nih.gov/gtr/conditions/C1867983/

Scientific Articles on PubMed

PubMed https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28porencephaly%5BTIAB%5D %29+AND+%28COL4A1%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND +human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D

OMIMO

 PORENCEPHALY 1 http://omim.org/entry/175780

Sources for This Summary

- Breedveld G, de Coo IF, Lequin MH, Arts WF, Heutink P, Gould DB, John SW, Oostra B, Mancini GM. Novel mutations in three families confirm a major role of COL4A1 in hereditary porencephaly. J Med Genet. 2006 Jun;43(6):490-5. Epub 2005 Aug 17.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16107487
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2593028/
- Meuwissen ME, de Vries LS, Verbeek HA, Lequin MH, Govaert PP, Schot R, Cowan FM, Hennekam R, Rizzu P, Verheijen FW, Wessels MW, Mancini GM. Sporadic COL4A1 mutations with extensive prenatal porencephaly resembling hydranencephaly. Neurology. 2011 Mar 1;76(9):844-6. doi: 10.1212/WNL.0b013e31820e7751.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21357838
 - Vahedi K, Alamowitch S. Clinical spectrum of type IV collagen (COL4A1) mutations: a novel genetic multisystem disease. Curr Opin Neurol. 2011 Feb;24(1):63-8. doi: 10.1097/WCO.0b013e32834232c6. Review.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21157337

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/familial-porencephaly

Reviewed: September 2011 Published: February 14, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services